

## ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111  
(619) 329-3999 | ils-lab.com

## BPC-157 - 10mg

Tested for: Cornerstone Research Supply

<https://cornerstoneresearchsupply.com/>

COA #: COA-2026-ORCYZB  
Lot Number: CRS-BPC157-10-2607-001  
Labeled Content: 10mg  
Volume: 3mL

Analysis Date: 08/12/2026  
Appearance: Good  
Volume: 3mL  
Date Received: 07/21/2026

Method: Full QC Panel

PASS



Scan to verify  
authenticity at ils-lab.com  
Access Code: RB8W5XXR

|          |                |               |
|----------|----------------|---------------|
| Identity | Peptide Purity | Fentanyl Free |
| BPC-157  | 99.64%         |               |


### Full QC Panel

| Analyte               | Specification                | Result       | Unit | Status |
|-----------------------|------------------------------|--------------|------|--------|
| Peptide Purity (HPLC) | >= 95.0%                     | 99.64%       | %    | PASS   |
| Net Peptide Content   | Report Only                  | 10.61        | mg   | N/A    |
| Identity (HPLC-RTM)   | BPC-157                      | Confirmed    | -    | PASS   |
| Fentanyl Screen       | Immunoassay, 50 ng/mL cutoff | Not Detected | -    | PASS   |



BPC-157 10mg -  
CRS-BPC157-10-2607-001

### HPLC Chromatogram



BPC-157 10mg - CRS-BPC157-10-2607-001: UV Chromatogram

### Heavy Metals Analysis (ICP-MS)

| Test          | Specification | Result       | Status |
|---------------|---------------|--------------|--------|
| Arsenic (As)  | NMT 1.5 ppm   | Not Detected | PASS   |
| Cadmium (Cd)  | NMT 0.5 ppm   | Not Detected | PASS   |
| Lead (Pb)     | NMT 1.0 ppm   | Not Detected | PASS   |
| Mercury (Hg)  | NMT 1.5 ppm   | Not Detected | PASS   |
| Chromium (Cr) | NMT 10.0 ppm  | Not Detected | PASS   |



*Dr. Greg Kalyuzhny*

Dr. Greg Kalyuzhny  
Lab Director  
8/12/2026

COA #: COA-2026-ORCYZB  
Access Code: RB8W5XXR  
Verify: <portal.ils-lab.com>  
Issued: 8/12/2026

Sterility Testing (PCR)

| Test            | Specification | Result    | Status |
|-----------------|---------------|-----------|--------|
| Sterility (PCR) | No Growth     | No Growth | PASS   |

Endotoxin Testing (USP <85>)

| Test                 | Specification | Result         | Status   |
|----------------------|---------------|----------------|----------|
| Endotoxin (USP <85>) | Report Result | NMT 0.05 EU/mL | Reported |

About this result: Endotoxin is reported as a quantitative value. Acceptable limits vary by product type and matrix, so no universal pass/fail threshold applies to RUO products. This result is below commonly referenced endotoxin thresholds.

Notes & Methodology

1. Date Tested: 08/12/2026. Methods: Full QC Panel.
2. The sample was confirmed to be BPC-157 by HPLC. Identification by chromatographic retention time comparison with a reference standard.
3. Elemental impurities analyzed by ICP-MS per USP <233> methodology. Acceptance criteria are internal laboratory quality screening limits for research-use materials and do not represent evaluation against any specific pharmacopeial monograph or product specification.
4. Endotoxin tested per USP <85> kinetic chromogenic method. Acceptance criteria per client specification.
5. Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.
6. This certificate reports analytical results for the sample(s) submitted to ILS Laboratories for testing. All sample identifications, product names, brand names, lot/batch numbers, and labeled content are provided by the submitting party and have not been independently verified. Results reflect only the analytical testing of the specific sample(s) provided and do not constitute an evaluation or endorsement of the manufacturer's processes, quality systems, or overall production. ILS Laboratories makes no representations regarding the intended use, safety, efficacy, regulatory status, or intellectual property ownership of any materials tested.



  
**Dr. Greg Kalyuzhny**  
Lab Director  
8/12/2026

COA #: **COA-2026-ORCYZB**  
Access Code: **RB8W5XXR**  
Verify: [portal.ils-lab.com](https://portal.ils-lab.com)  
Issued: 8/12/2026